



ACU/AHRC-882(2)/ReTender/ 60 /2022-23

Date: 19.07.2022

RETENDER NOTIFICATION

Adichunchanagiri University is inviting **closed tender** for the supply of *Neuro Spinal Implants* to “Adichunchanagiri Hospital and Research Centre (AHRC)”, B.G. Nagara, from the competitive firms.

| 1 | Name of the work | Supply of <i>Neuro Spinal Implants</i> to Adichunchanagiri Hospital and Research Centre, BG Nagara. |
|---------|---------------------------------|---|
| 2 | Last date for tender submission | On or Before 05-08-2022 up to 05:00 PM |
| Sl. No. | Name of the Goods Particulars | Provisional Qty. |
| 1. | Neuro Spinal Implants | Lot |

Note: Kindly send quotes in 2 bid formats (Technical and Financial bids sealed separately inside the main envelope for each individual item or list of items) to be addressed to “**The Registrar, Adichunchanagiri University, B.G. Nagara -571448, Nagamangala (T), Mandya(D)**”.

- Adichunchanagiri University reserves all the rights to accept, reject, incorporate changes and re-tender without giving any reasons.
- The sealed cover must be duly superscripted with the words “ACU/AHRC-882(2)/ReTender/neuro Implants/Ref no” Or tender details for which company is quoting and quote should be in INR only.
- Attach Brochure, Certification of the product, Bank/account details, PAN, GSTIN and 02 Years of ITR declaration inside the envelope and **company contact details with email ID** on the main envelope cover for **further correspondence**.
- Quote for **unit price** with applicable GST (display GST at extra column) and goods must have a **minimum warranty** of **05 years**.
- For any queries, please write to registrar@acu.edu.in or telephone to purchase section +91 -98458 35834

Dr. C.K. Subbaraya
Registrar
Adichunchanagiri University
B.G.Nagara-571448


**Technical Specifications**

| SL. NO | DESCRIPTION |
|--------|--|
| | PREMIUM SQ |
| | Monolock Monoaxial Screw (Ti) Premium (SQ)- 4.5mm dia. |
| 1 | 25 mm |
| 2 | 30 mm |
| 3 | 35 mm |
| | Monolock Monoaxial Screw (Ti) Premium (SQ)- 5.5mm dia. |
| 4 | 30 mm |
| 5 | 35 mm |
| 6 | 40 mm |
| 7 | 45 mm |
| 8 | 50 mm |
| | Monolock Monoaxial Screw (Ti) Premium (SQ)- 6.5mm dia. |
| 9 | 30 mm |
| 10 | 35 mm |
| 11 | 40 mm |
| 12 | 45 mm |
| 13 | 50 mm |
| | Monolock Monoaxial Screw (Ti) Premium (SQ)- 7.0mm dia. |
| 14 | 30 mm |
| 15 | 35 mm |
| 16 | 40 mm |
| 17 | 45 mm |
| 18 | 50 mm |
| | Monolock Polyaxial Screw (Ti) Premium (SQ)- 4.5mm dia. |
| 19 | 25 mm |
| 20 | 30 mm |
| 21 | 35 mm |
| | Monolock Polyaxial Screw (Ti) Premium (SQ)- 5.5mm dia. |
| 22 | 30 mm |
| 23 | 35 mm |
| 24 | 40 mm |
| 25 | 45 mm |
| 26 | 50 mm |
| | Monolock Polyaxial Screw (Ti) Premium (SQ)- 6.5mm dia. |
| 27 | 30 mm |
| 28 | 35 mm |
| 29 | 40 mm |
| 30 | 45 mm |
| 31 | 50 mm |
| | Monolock Polyaxial Screw (Ti) Premium (SQ)- 7.0mm dia. |
| 32 | 30 mm |
| 33 | 35 mm |
| 34 | 40 mm |





| | | |
|------------------|--|-------|
| 35 | | 45 mm |
| 36 | | 50 mm |
| | Monolock Polyaxial Screw (Ti) Premium (SQ)- 7.0mm dia. | |
| 37 | | 55mm |
| 38 | | 60mm |
| 39 | | 65mm |
| 40 | | 70mm |
| 41 | | 75mm |
| 42 | | 80mm |
| ULTRA SET | | |
| | Monolock Monoaxial Screw (Ti) Ultra - 4.5mm dia. | |
| 43 | | 25mm |
| 44 | | 30mm |
| 45 | | 35mm |
| 46 | | 40mm |
| | Monolock Monoaxial Screw (Ti) Ultra - 5.5mm dia. | |
| 47 | | 25mm |
| 48 | | 30mm |
| 49 | | 35mm |
| 50 | | 40mm |
| 51 | | 45mm |
| 52 | | 50mm |
| 53 | | 55mm |
| 54 | | 60mm |
| 55 | | 65mm |
| | Monolock Monoaxial Screw (Ti) Ultra - 6.5mm dia. | |
| 56 | | 25mm |
| 57 | | 30mm |
| 58 | | 35mm |
| 59 | | 40mm |
| 60 | | 45mm |
| 61 | | 50mm |
| 62 | | 55mm |
| 63 | | 60mm |
| 64 | | 65mm |
| | Monolock Polyaxial Screw (Ti) Ultra - 4.5mm dia. | |
| 65 | | 25mm |
| 66 | | 30mm |
| 67 | | 35mm |
| 68 | | 40mm |
| | Monolock Polyaxial Screw (Ti) Ultra - 5.5mm dia. | |
| 69 | | 30mm |
| 70 | | 35mm |
| 71 | | 40mm |
| 72 | | 45mm |
| 73 | | 50mm |
| 74 | | 55mm |
| 75 | | 60mm |
| 76 | | 65mm |
| 77 | | 70mm |





| | | |
|-----|--|------|
| 78 | | 75mm |
| 79 | | 80mm |
| 80 | | 85mm |
| 81 | | 90mm |
| | Monolock Polyaxial Screw (Ti) Ultra - 6.5mm dia. | |
| 82 | | 30mm |
| 83 | | 35mm |
| 84 | | 40mm |
| 85 | | 45mm |
| 86 | | 50mm |
| 87 | | 55mm |
| 88 | | 60mm |
| 89 | | 65mm |
| 90 | | 70mm |
| 91 | | 75mm |
| 92 | | 80mm |
| 93 | | 85mm |
| 94 | | 90mm |
| | Monolock Polyaxial Screw (Ti) Ultra - 7.0mm dia. | |
| 95 | | 40mm |
| 96 | | 45mm |
| 97 | | 50mm |
| 98 | | 55mm |
| 99 | | 60mm |
| 100 | | 70mm |
| 101 | | 80mm |
| | Monolock Polyaxial Reduction Screw (Ti) Ultra 4.5mm dia. | |
| 102 | | 25mm |
| 103 | | 30mm |
| 104 | | 35mm |
| 105 | | 40mm |
| 106 | | 45mm |
| 107 | | 50mm |
| 108 | | 55mm |
| | Monolock Polyaxial Reduction Screw (Ti) Ultra 5.5mm dia. | |
| 109 | | 30mm |
| 110 | | 35mm |
| 111 | | 40mm |
| 112 | | 45mm |
| 113 | | 50mm |
| 114 | | 55mm |
| 115 | | 60mm |
| 116 | | 65mm |
| | Monolock Polyaxial Reduction Screw (Ti) Ultra 6.5mm dia. | |
| 117 | | 30mm |
| 118 | | 35mm |
| 119 | | 40mm |
| 120 | | 45mm |
| 121 | | 50mm |
| 122 | | 55mm |
| 123 | | 60mm |





| | | |
|-----------------------------|---|-------|
| 124 | | 65mm |
| DTAP Monolock Set Ti | | |
| | DTAP Monolock Polyaxial Screw (Ti) SQ- 4.5mm dia. | |
| 125 | | 25 mm |
| 126 | | 30 mm |
| 127 | | 35 mm |
| 128 | | 40 mm |
| | DTAP Monolock Polyaxial Screw (Ti) SQ- 5.5mm dia. | |
| 129 | | 30 mm |
| 130 | | 35 mm |
| 131 | | 40 mm |
| 132 | | 45 mm |
| 133 | | 50 mm |
| | DTAP Monolock Polyaxial Screw (Ti) SQ- 6.5mm dia. | |
| 134 | | 30 mm |
| 135 | | 35 mm |
| 136 | | 40 mm |
| 137 | | 45 mm |
| 138 | | 50 mm |
| 139 | | 55 mm |
| 140 | | 60 mm |
| | DTAP Monolock Polyaxial Screw (Ti) SQ- 7.0mm dia. | |
| 141 | | 30 mm |
| 142 | | 35 mm |
| 143 | | 40 mm |
| 144 | | 45 mm |
| 145 | | 50 mm |
| 146 | | 55 mm |
| 147 | | 60 mm |
| 148 | | 70 mm |
| 149 | | 80 mm |
| 150 | | 90 mm |
| 151 | Set Screw Break Off | |
| 152 | Set Screw Square Thread 10 mm | |
| | DTAP Monolock Polyaxial Reduction Screw SQ- 4.5mm dia | |
| 153 | | 25 mm |
| 154 | | 30 mm |
| 155 | | 35 mm |
| 156 | | 40 mm |
| | DTAP Monolock Polyaxial Reduction Screw SQ- 5.5mm dia | |
| 157 | | 30 mm |
| 158 | | 35 mm |
| 159 | | 40 mm |
| 160 | | 45 mm |
| 161 | | 50 mm |
| 162 | | 55 mm |
| | DTAP Monolock Polyaxial Reduction Screw SQ- 6.5mm dia | |
| 163 | | 30 mm |
| 164 | | 35 mm |





| | | |
|--|--|-------|
| 165 | | 40 mm |
| 166 | | 45 mm |
| 167 | | 50 mm |
| 168 | | 55 mm |
| Monolock Osteo Polyaxial Screw (SQ) | | |
| Monolock Osteo Polyaxial Screw (SQ) 5.5mm dia | | |
| 169 | | 35 mm |
| 170 | | 40 mm |
| 171 | | 45 mm |
| 172 | | 50 mm |
| Monolock Osteo Polyaxial Screw (SQ) 6.5mm dia | | |
| 173 | | 35 mm |
| 174 | | 40 mm |
| 175 | | 45 mm |
| 176 | | 50 mm |
| Monolock Osteo Polyaxial Screw (SQ) 7.0mm dia | | |
| 177 | | 35 mm |
| 178 | | 40 mm |
| 179 | | 45 mm |
| 180 | | 50 mm |
| Monolock Osteo Polyaxial Screw Fenestrated (SQ) | | |
| Monolock Osteo Polyaxial Screw Fenestrated (SQ) 5.5mm dia | | |
| 181 | | 35 mm |
| 182 | | 40 mm |
| 183 | | 45 mm |
| 184 | | 50 mm |
| Monolock Osteo Polyaxial Screw Fenestrated (SQ) 6.5mm dia | | |
| 185 | | 35 mm |
| 186 | | 40 mm |
| 187 | | 45 mm |
| 188 | | 50 mm |
| Monolock Osteo Polyaxial Screw Fenestrated (SQ) 7.0mm dia | | |
| 189 | | 35 mm |
| 190 | | 40 mm |
| 191 | | 45 mm |
| 192 | | 50 mm |
| DEFORMITY SYSTEM | | |
| Monolock Deformity Monoaxial Screw (TI) 4.5 mm dia | | |
| 193 | | 25mm |
| 194 | | 30mm |
| 195 | | 35mm |
| 196 | | 40mm |
| Monolock Deformity Monoaxial Screw (TI) 5.5 mm dia | | |





| | | |
|-----|--|-------|
| 197 | | 30mm |
| 198 | | 35mm |
| 199 | | 40mm |
| 200 | | 45mm |
| 201 | | 50mm |
| | Monolock Deformity Monoaxial Screw (TI) 6.5 mm dia | |
| 202 | | 30mm |
| 203 | | 35mm |
| 204 | | 40mm |
| 205 | | 45mm |
| 206 | | 50mm |
| | Monolock Deformity Polyaxial Screw (TI) 4.5 mm dia | |
| 207 | | 25mm |
| 208 | | 30mm |
| 209 | | 35mm |
| 210 | | 40mm |
| | Monolock Deformity Polyaxial Screw (TI) 5.5 mm dia | |
| 211 | | 30mm |
| 212 | | 35mm |
| 213 | | 40mm |
| 214 | | 45mm |
| 215 | | 50mm |
| | Monolock Deformity Polyaxial Screw (TI) 6.5 mm dia | |
| 216 | | 30mm |
| 217 | | 35mm |
| 218 | | 40mm |
| 219 | | 45mm |
| 220 | | 50mm |
| 221 | | 60mm |
| 222 | | 70mm |
| 223 | | 80mm |
| | Monolock Deformity Polyaxial Screw (TI) 7.5 mm dia | |
| 224 | | 35mm |
| 225 | | 40mm |
| 226 | | 45mm |
| 227 | | 50mm |
| 228 | | 55mm |
| 229 | | 60mm |
| 230 | | 70mm |
| 231 | | 80mm |
| 232 | | 90mm |
| 233 | | 100mm |
| 234 | | 110mm |
| 235 | | 120mm |
| | Monolock Deformity Uniaxial Screw (TI) 4.5 mm dia | |
| 236 | | 25mm |
| 237 | | 30mm |
| 238 | | 35mm |
| 239 | | 40mm |
| | Monolock Deformity Uniaxial Screw (TI) 5.5 mm dia | |
| 240 | | 30mm |





| | | |
|-----------------------------|--|-------|
| 241 | | 35mm |
| 242 | | 40mm |
| 243 | | 45mm |
| 244 | | 50mm |
| | Monolock Deformity Uniaxial Screw (Ti) 6.5 mm dia | |
| 245 | | 30mm |
| 246 | | 35mm |
| 247 | | 40mm |
| 248 | | 45mm |
| 249 | | 50mm |
| | Monolock Deformity Polyaxial Reduction Screw Ti 4.5 mm Dia | |
| 250 | | 25mm |
| 251 | | 30mm |
| 252 | | 35mm |
| 253 | | 40mm |
| | Monolock Deformity Polyaxial Reduction Screw Ti 5.5 mm Dia | |
| 254 | | 30mm |
| 255 | | 35mm |
| 256 | | 40mm |
| 257 | | 45mm |
| 258 | | 50mm |
| | Monolock Deformity Polyaxial Reduction Screw Ti 6.5 mm Dia | |
| 259 | | 30mm |
| 260 | | 35mm |
| 261 | | 40mm |
| 262 | | 45mm |
| 263 | | 50mm |
| 264 | Set Screw Square Thread 10 mm | |
| MIS Monolock Set | | |
| | MIS Monolock Polyaxial Screw (Ti) - 5.5 mm dia. | |
| 265 | | 30 mm |
| 266 | | 35 mm |
| 267 | | 40 mm |
| 268 | | 45 mm |
| 269 | | 50 mm |
| | MIS Monolock Polyaxial Screw (Ti) - 6.5 mm dia. | |
| 270 | | 30 mm |
| 271 | | 35 mm |
| 272 | | 40 mm |
| 273 | | 45 mm |
| 274 | | 50 mm |
| | | |
| MIS AUXILIARY SYSTEM | | |
| | MIS AUXILIARY SCREW(Ti) 5.5mm dia | |
| 275 | | 35 mm |
| 276 | | 40 mm |
| 277 | | 45 mm |
| 278 | | 50 mm |
| 279 | | 55 mm |
| 280 | | 60 mm |



| | | |
|---|------------------------------------|-------|
| 281 | | 65 mm |
| 282 | | 70 mm |
| 283 | | 75 mm |
| 284 | | 80 mm |
| | | |
| | MIS AUXILIARY SCREW 6.5MM | |
| 285 | | 35 mm |
| 286 | | 40 mm |
| 287 | | 45 mm |
| 288 | | 50 mm |
| 289 | | 55 mm |
| 290 | | 60 mm |
| 291 | | 65 mm |
| 292 | | 70 mm |
| 293 | | 75 mm |
| 294 | | 80 mm |
| | | |
| | MIS AUXILIARY SCREW 7.0MM | |
| 295 | | 35 mm |
| 296 | | 40 mm |
| 297 | | 45 mm |
| 298 | | 50 mm |
| 299 | | 55 mm |
| 300 | | 60 mm |
| 301 | | 65 mm |
| 302 | | 70 mm |
| 303 | | 75 mm |
| 304 | | 80 mm |
| 305 | Screw Innie Non Break off | |
| | | |
| MIS OSTEO FENESTRATED SCREW SYSTEM | | |
| | MIS Osteo Fenestrated Screw 5.5 mm | |
| 306 | | 35 mm |
| 307 | | 40 mm |
| 308 | | 45 mm |
| 309 | | 50 mm |
| 310 | | 55 mm |
| 311 | | 60 mm |
| 312 | | 65 mm |
| 313 | | 70 mm |
| 314 | | 75 mm |
| 315 | | 80 mm |
| | | |
| | MIS Osteo Fenestrated Screw 6.5 mm | |
| 316 | | 35 mm |
| 317 | | 40 mm |
| 318 | | 45 mm |
| 319 | | 50 mm |
| 320 | | 55 mm |
| 321 | | 60 mm |
| 322 | | 65 mm |
| 323 | | 70 mm |





| | | |
|-----|--|--------|
| 324 | | 75 mm |
| 325 | | 80 mm |
| | MIS Osteo Fenestrated Screw 7.0 mm | |
| 326 | | 35 mm |
| 327 | | 40 mm |
| 328 | | 45 mm |
| 329 | | 50 mm |
| 330 | | 55 mm |
| 331 | | 60 mm |
| 332 | | 65 mm |
| 333 | | 70 mm |
| 334 | | 75 mm |
| 335 | | 80 mm |
| | MIS Monolock Contoured/Straight Connecting Rod 5.5 mm dia. | |
| 336 | | 40 mm |
| 337 | | 50 mm |
| 338 | | 60 mm |
| 339 | | 70 mm |
| 340 | | 80 mm |
| 341 | | 90 mm |
| 342 | | 100mm |
| 343 | | 110mm |
| 344 | | 120mm |
| 345 | | 130mm |
| 346 | | 140mm |
| 347 | | 150mm |
| | Monolock Connecting Rods (Ti) Premium 5.5mm | |
| 348 | | 40 mm |
| 349 | | 50 mm |
| 350 | | 60 mm |
| 351 | | 70 mm |
| 352 | | 80 mm |
| 353 | | 90 mm |
| 354 | | 100 mm |
| 355 | | 125 mm |
| 356 | | 150 mm |
| 357 | | 160 mm |
| 358 | | 170 mm |
| 359 | | 175 mm |
| 360 | | 180 mm |
| 361 | | 190 mm |
| 362 | | 200 mm |
| 363 | | 250 mm |
| 364 | | 300 mm |
| 365 | | 350 mm |
| 366 | | 400 mm |
| 367 | | 500 mm |
| | DTAP Connecting Rod (Ti) 5.5 mm dia. | |
| 368 | | 40 mm |
| 369 | | 50 mm |





| | | |
|-----|---|------------------------------|
| 370 | | 60 mm |
| 371 | | 70 mm |
| 372 | | 80 mm |
| 373 | | 90 mm |
| 374 | | 100 mm |
| 375 | | 125 mm |
| 376 | | 150 mm |
| 377 | | 175 mm |
| 378 | | 200 mm |
| 379 | | 250 mm |
| 380 | | 300 mm |
| 381 | | 350 mm |
| 382 | | 400 mm |
| 383 | | 500 mm |
| | Monolock Dual Dia Connecting Rod Ti | |
| 384 | | 3.7 mm x 5.5 mm x 150 mm |
| 385 | | 3.7 mm x 5.5 mm x 200 mm |
| 386 | | 3.7 mm/4.5 mm x 5.5 x 250 mm |
| 387 | | 3.7 mm/4.5 mm x 5.5 x 300 mm |
| 388 | | 3.7 mm/4.5 mm x 5.5 x 350 mm |
| 389 | | 3.7 mm/4.5 mm x 5.5 x 400 mm |
| 390 | | 3.7 mm/4.5 mm x 5.5 x 450 mm |
| 391 | | 4.5 mm x 3.7 mm x 250 mm |
| 392 | | 4.5 mm x 3.7 mm x 350 mm |
| 393 | | 4.5 mm x 3.7 mm x 400 mm |
| 394 | | 4.5 mm x 3.7 mm x 450 mm |
| | Monolock Vertebrael Body Stapples (Ti) | |
| 395 | | |
| | Cobalt - Chromium Molybdenum Alloy Connecting Rod | |
| 396 | | 3.7mm x 150mm |
| 397 | | 3.7mm x 200mm |
| 398 | | 3.7mm x 250mm |
| 399 | | 3.7mm x 300mm |
| 400 | | 4.5mm x 250mm |
| 401 | | 4.5mm x 300mm |
| 402 | | 4.5mm x 350mm |
| 403 | | 4.5mm x 400mm |
| 404 | | 5.5mm x 200mm |
| 405 | | 5.5mm x 250mm |
| 406 | | 5.5mm x 300mm |
| 407 | | 5.5mm x 350mm |
| 408 | | 5.5mm x 400mm |
| 409 | | 5.5mm x 500mm |
| 410 | | 6.0 mm x 400mm |
| | Monolock Lateral Illiac Connector Ti (Closed) | |
| 411 | | 20mm |
| 412 | | 25mm |
| 413 | | 30mm |
| | Monolock Lateral Illiac Connector (Open) | |
| 414 | | 20mm |





| | | |
|-----|--|---|
| 415 | | 25mm |
| 416 | | 30mm |
| | Parallel Connector (Ti) | |
| 417 | | 4.5 mm x 3.7 mm |
| 418 | | 5.5 mm Side Lock x 6.0 mm |
| 419 | | 5.5 mm x 4.5 mm |
| 420 | | 5.5 mm x 3.7 mm |
| 421 | | 4.5 mm x 4.5 mm |
| 422 | | 6.5 mm PCD (Single Lock) 5.5 mm x 5.5 mm |
| 423 | | 10.0 mm PCD (Single Lock) 5.5 mm x 5.5 mm |
| 424 | | 12.0 mm PCD (Single Lock) 5.5 mm x 5.5 mm |
| 425 | | 14.0 mm PCD (Single Lock) 5.5 mm x 5.5 mm |
| 426 | | 16.0 mm PCD (Single Lock) 5.5 mm x 5.5 mm |
| 427 | | (Single Lock), Small 5.5 mm x 3.7 mm |
| 428 | | Small 5.5 mm x 5.5 mm |
| 429 | | Small 4.5 mm x 5.5 mm |
| 430 | | Small 3.7 mm x 5.5 mm |
| 431 | | Small 4.5 mm x 4.5 mm |
| 432 | | Small 3.7 mm x 4.5 mm |
| 433 | | Small 3.7 mm x 3.7 mm |
| | Domino Connector (Ti) | |
| 434 | | 4.5mm x 4.5mm |
| 435 | | 4.5mm x 4.5mm |
| 436 | | 4.5mm x 4.5mm |
| 437 | | 5.5mm x 4.5mm |
| 438 | | 5.5mm x 4.5mm |
| 439 | | 5.5mm x 5.5mm |
| 440 | | 4.5mm x 4.5mm |
| 441 | | 4.5mm x 4.5mm |
| 442 | | 5.5mm x 4.5mm |
| 443 | | 4.5mm x 4.5mm |
| 444 | | 5.5mm x 4.5mm |
| 445 | | 5.5mm x 4.5mm |
| 446 | | 5.5mm x 5.5mm |
| 447 | | 5.5mm x 4.5mm |
| 448 | | 5.5mm x 4.5mm |
| 449 | DTAP Top Loading Cross Link (Ti) Small | |
| 450 | DTAP Top Loading Cross Link (Ti) Medium | |
| 451 | DTAP Top Loading Cross Link (Ti) Large | |
| | Monolock Transverse - (2Connector and 1 No. 3.0mm Rod) | |
| | Clip Connector | |
| 453 | 5.5 mm | |
| 454 | 4.5mm | |
| 455 | 3.7mm | |
| | Connecting Bar - | |
| 456 | | 5.5 x 50mm |
| 457 | | 5.5 x 60mm |
| 458 | | 5.5 x 70mm |
| 459 | | 5.5 x 80mm |





| | | |
|--|--------------------------------|----------------|
| 460 | | 3.7/4.5 x 40mm |
| 461 | | 3.7/4.5 x 50mm |
| 462 | | 3.7/4.5 x 60mm |
| 463 | Monolock Hook Pedicle | |
| 464 | Monolock Hook Wide Blade | |
| 465 | Monolock Hook Narrow Blade | |
| 466 | Monolock Hook Angled Blade | |
| 467 | Monolock Hook Reduced Distance | |
| Monolock Paediatric Set (Ti) | | |
| Monolock PD Monoaxial Screw - 4 mm Dia | | |
| 468 | | 16 mm |
| 469 | | 20 mm |
| | | 24 mm |
| 471 | | 28 mm |
| | | 32 mm |
| 473 | | 34 mm |
| 474 | | 40 mm |
| Monolock PD Monoaxial Screw - 5.0 mm Dia | | |
| 475 | | 16 mm |
| 476 | | 20 mm |
| 477 | | 24 mm |
| 478 | | 28 mm |
| 479 | | 32 mm |
| 480 | | 34 mm |
| 481 | | 40 mm |
| Monolock PD Polyaxial Screw - 4 mm Dia | | |
| | | 16 mm |
| | | 20 mm |
| 484 | | 24 mm |
| | | 28 mm |
| 486 | | 32 mm |
| | | 34 mm |
| 488 | | 40 mm |
| Monolock PD Polyaxial Screw - 4.5 mm Dia | | |
| 489 | | 16 mm |
| 490 | | 20 mm |
| 491 | | 24 mm |
| 492 | | 28 mm |
| 493 | | 32 mm |
| 494 | | 34 mm |
| 495 | | 40 mm |
| Monolock PD Polyaxial Screw - 5.0 mm Dia | | |
| 496 | | 16 mm |
| 497 | | 20 mm |
| 498 | | 24 mm |





| | | |
|--|--|-------|
| 499 | | 28 mm |
| 500 | | 32 mm |
| 501 | | 34 mm |
| 502 | | 40 mm |
| 503 | | 45 mm |
| 504 | | 50 mm |
| MONOLOCK PAEDIATRIC TOP NOTCH SYSTEM | | |
| Monolock Top Notch PD Polyaxial Screw - 4 mm Dia | | |
| 505 | | 14 mm |
| 506 | | 16 mm |
| 507 | | 18 mm |
| 508 | | 20 mm |
| 509 | | 22 mm |
| 510 | | 24 mm |
| 511 | | 26 mm |
| 512 | | 28 mm |
| 513 | | 30 mm |
| 514 | | 32 mm |
| 515 | | 34 mm |
| 516 | | 36 mm |
| 517 | | 38 mm |
| 518 | | 40 mm |
| Monolock Top Notch PD Polyaxial Screw - 4.5 mm Dia | | |
| 519 | | 14 mm |
| 520 | | 16 mm |
| 521 | | 18 mm |
| 522 | | 20 mm |
| 523 | | 22 mm |
| 524 | | 24 mm |
| 525 | | 26 mm |
| 526 | | 28 mm |
| 527 | | 30 mm |
| 528 | | 32 mm |
| 529 | | 34 mm |
| 530 | | 36 mm |
| 531 | | 38 mm |
| 532 | | 40 mm |
| 533 | | 42 mm |
| 534 | | 44 mm |
| 535 | | 46 mm |
| 536 | | 48 mm |
| 537 | | 50 mm |
| Monolock Top Notch PD Polyaxial Screw - 5.0 mm Dia | | |
| 538 | | 14 mm |
| 539 | | 16 mm |
| 540 | | 18 mm |
| 541 | | 20 mm |
| 542 | | 22 mm |
| 543 | | 24 mm |
| 544 | | 26 mm |





| | | |
|-----------------------|---|---------------|
| 545 | | 28 mm |
| 546 | | 30 mm |
| 547 | | 32 mm |
| 548 | | 34 mm |
| 549 | | 36 mm |
| 550 | | 38 mm |
| 551 | | 40 mm |
| 552 | | 42 mm |
| 553 | | 44 mm |
| 554 | | 46 mm |
| 555 | | 48 mm |
| 556 | | 50 mm |
| | Monolock PD Connecting Rod 4.5mm dia | |
| 557 | | 40 mm |
| 558 | | 50 mm |
| 559 | | 60 mm |
| 560 | | 70 mm |
| 561 | | 80 mm |
| 562 | | 90 mm |
| 563 | | 100 mm |
| 564 | | 110 mm |
| 565 | | 120 mm |
| 566 | | 130 mm |
| 567 | | 140 mm |
| 568 | | 150 mm |
| 569 | | 160 mm |
| 570 | | 170 mm |
| 571 | | 180 mm |
| 572 | | 190 mm |
| 573 | | 200 mm |
| 574 | | 225 mm |
| 575 | | 250 mm |
| 576 | | 300 mm |
| 577 | | 350 mm |
| 578 | | 400 mm |
| | Monolock PD Top Loading Cross Link | |
| 579 | | Small |
| 580 | | Medium |
| 581 | Tranverse Connector 4.5mm (2 nos Tranverse Connector & 1 No .of 3.0mm Rod) | |
| | Pediatric Hook (Ti) | |
| 582 | | Pedicle |
| 583 | | Narrow Blade |
| 584 | | Wide Blade |
| POS FUSE Cages | | |
| | POS FUSE TLIF Cage - 0 Degree/4 Degree | |
| 585 | | 7 mm x 25 mm |
| 586 | | 8 mm x 25 mm |
| 587 | | 9 mm x 25 mm |
| 588 | | 10 mm x 25 mm |
| 589 | | 11 mm x 25 mm |





| | | |
|---------------------------|---|--|
| 590 | | 12 mm x 25 mm |
| | POS FUSE TLIF Cage - 0 Degree/4 Degree | |
| 591 | | 7 mm x 29 mm |
| 592 | | 8 mm x 29 mm |
| 593 | | 9 mm x 29 mm |
| 594 | | 10 mm x 29 mm |
| 595 | | 11 mm x 29 mm |
| 596 | | 12 mm x 29 mm |
| | POS FUSE PLIF Cage - 0 Degree/4 Degree | |
| | | 7 mm x 25 mm |
| | | 8 mm x 25 mm |
| 599 | | 9 mm x 25 mm |
| | | 10 mm x 25 mm |
| 601 | | 11 mm x 25 mm |
| 602 | | 12 mm x 25 mm |
| | POS FUSE PLIF Cage - 0 Degree/4 Degree | |
| 603 | | 7 mm x 20 mm |
| | | 8 mm x 20 mm |
| 605 | | 9 mm x 20 mm |
| 606 | | 10 mm x 20 mm |
| | | 11 mm x 20 mm |
| 608 | | 12 mm x 20 mm |
| | POS Fuse Oblique (Titanium) | |
| | POS FUSE Oblique Cage | |
| 609 | | 24 mm x 7/8/9/10/11/12/13/14/15(Each) |
| 610 | | 28 mm x 7/8/9/10/11/12/13/14/15(Each) |
| 611 | | 32 mm x 7/8/9/10/11/12/13/14/15(Each) |
| | PEEK POS FUSE TLIF CAGE 4 Degree | |
| 612 | | 25 mm Length x 7/8/9/10/11/12/13/14/15 mm (Each) |
| 613 | | 29 mm Length x 7/8/9/10/11/12/13/14/15 mm (Each) |
| | PEEK POS FUSE Oblique Cage | |
| 614 | | 24 mm x 7/8/9/10/11/12/13/14/15(Each) |
| 615 | | 28 mm x 7/8/9/10/11/12/13/14/15(Each) |
| 616 | | 32 mm x 7/8/9/10/11/12/13/14/15(Each) |
| TRANSCEND LL CAGES | | |
| | Cages Transcend LL 6 degree - 45mm Length | |
| 617 | | 9 mm |
| 618 | | 10 mm |
| 619 | | 11 mm |
| 620 | | 12mm |
| 621 | | 13 mm |
| 622 | | 14 mm |
| 623 | | 15 mm |
| | Cages Transcend LL 6 degree - 50mm Length | |
| 624 | | 9 mm |





| | | |
|---|--|---------------|
| 625 | | 10 mm |
| 626 | | 11 mm |
| 627 | | 12mm |
| 628 | | 13 mm |
| 629 | | 14 mm |
| 630 | | 15 mm |
| Cages Transcend LL 6 degree - 55mm Length | | |
| 631 | | 9 mm |
| 632 | | 10 mm |
| 633 | | 11 mm |
| 634 | | 12mm |
| 635 | | 13 mm |
| 636 | | 14 mm |
| 637 | | 15 mm |
| Cages Transcend LL 0 degree -45mm Lemgth | | |
| 638 | | 9 mm |
| 639 | | 10 mm |
| 640 | | 11 mm |
| 641 | | 12mm |
| 642 | | 13 mm |
| 643 | | 14 mm |
| 644 | | 15 mm |
| Cages Transcend LL 0 degree -50mm Lemgth | | |
| 645 | | 9 mm |
| 646 | | 10 mm |
| 647 | | 11 mm |
| 648 | | 12mm |
| 649 | | 13 mm |
| 650 | | 14 mm |
| 651 | | 15 mm |
| Cages Transcend LL 0 degree -55mm Lemgth | | |
| 652 | | 9 mm |
| 653 | | 10 mm |
| 654 | | 11 mm |
| 655 | | 12mm |
| 656 | | 13 mm |
| 657 | | 14 mm |
| 658 | | 15 mm |
| CORPEX/CORPEX -P SYSTEM | | |
| CORPEX Cage | | |
| 659 | | 12 mm x 20-25 |
| 660 | | 12 mm x 25-30 |
| 661 | | 12 mm x 30-40 |
| 662 | | 12 mm x 40-60 |
| 663 | | 14 mm x 20-25 |
| 664 | | 14 mm x 25-30 |
| 665 | | 14 mm x 30-40 |
| 666 | | 14 mm x 40-60 |
| 667 | | 16 mm x 20-25 |
| 668 | | 16 mm x 25-30 |





| | | |
|-----|---|---------------|
| 669 | | 16 mm x 30-40 |
| 670 | | 16 mm x 40-60 |
| 671 | | 18 mm x 20-25 |
| 672 | | 18 mm x 25-30 |
| 673 | | 18 mm x 30-40 |
| 674 | | 18 mm x 40-60 |
| | CORPEX - P Cage | |
| 675 | | 12 mm x 20-25 |
| 676 | | 12 mm x 25-30 |
| 677 | | 12 mm x 30-40 |
| 678 | | 12 mm x 40-60 |
| 679 | | 14 mm x 20-25 |
| 680 | | 14 mm x 25-30 |
| 681 | | 14 mm x 30-40 |
| 682 | | 14 mm x 40-60 |
| | CORPEX -M/CORPEX-M-P CAGE SYSTEM | |
| | Corpex-M | |
| 683 | | 12 mm x 20-25 |
| 684 | | 12 mm x 25-30 |
| 685 | | 12 mm x 30-40 |
| 686 | | 12 mm x 40-55 |
| 687 | | 14 mm x 20-25 |
| 688 | | 14 mm x 25-30 |
| 689 | | 14 mm x 30-40 |
| 690 | | 14 mm x 40-55 |
| 691 | | 16 mm x 20-25 |
| 692 | | 16 mm x 25-30 |
| 693 | | 16 mm x 30-40 |
| 694 | | 16 mm x 40-55 |
| 695 | | 18 mm x 20-25 |
| 696 | | 18 mm x 25-30 |
| 697 | | 18 mm x 30-40 |
| 698 | | 18 mm x 40-55 |
| | Corpex-M -P-Cage | |
| 699 | | 12 mm x 20-25 |
| 670 | | 12 mm x 25-30 |
| 671 | | 12 mm x 30-40 |
| 672 | | 12 mm x 40-55 |
| 673 | | 14 mm x 20-25 |
| 674 | | 14 mm x 25-30 |
| 675 | | 14 mm x 30-40 |
| 676 | | 14 mm x 40-55 |
| | CORCAGE (DRILLED CAGES) | |
| | CORCAGE 10mm Dia | |
| 677 | | 15mm Length |
| 678 | | 20mm Length |
| 679 | | 25mm Length |
| 680 | | 30mm Length |





| | | |
|--------------|--|-------------|
| 681 | | 35mm Length |
| 682 | | 40mm Length |
| 683 | | 45mm Length |
| 684 | | 50mm Length |
| | CORCAGE 12mm Dia | |
| 685 | | 15mm Length |
| 686 | | 20mm Length |
| 687 | | 25mm Length |
| 688 | | 30mm Length |
| 689 | | 35mm Length |
| 690 | | 40mm Length |
| 691 | | 45mm Length |
| 692 | | 50mm Length |
| | CORCAGE 14mm Dia | |
| 693 | | 15mm Length |
| 694 | | 20mm Length |
| 695 | | 25mm Length |
| 696 | | 30mm Length |
| 697 | | 35mm Length |
| 698 | | 40mm Length |
| 699 | | 45mm Length |
| 700 | | 50mm Length |
| | CORCAGE 16mm Dia | |
| 701 | | 15mm Length |
| 702 | | 20mm Length |
| 703 | | 25mm Length |
| 704 | | 30mm Length |
| 705 | | 35mm Length |
| 706 | | 40mm Length |
| 707 | | 45mm Length |
| 708 | | 50mm Length |
| | CORCAGE 19mm Dia | |
| 709 | | 15mm Length |
| 710 | | 20mm Length |
| 711 | | 25mm Length |
| 712 | | 30mm Length |
| 713 | | 35mm Length |
| 714 | | 40mm Length |
| 715 | | 45mm Length |
| 716 | | 50mm Length |
| POCER | | |
| | Posterior Occipitocervical Fixation Systems (COFS) | |
| | POCER Polyaxial Screw Ti 3.5 mm Dia | |
| 717 | | 10mm Length |
| 718 | | 12mm Length |
| 719 | | 14mm Length |
| 720 | | 16mm Length |
| 721 | | 18mm Length |
| 722 | | 20mm Length |
| 723 | | 22mm Length |
| 724 | | 24mm Length |





| | | |
|-----|--|--------------|
| 725 | | 26mm Length |
| 726 | | 28mm Length |
| 727 | | 30mm Length |
| 728 | | 32mm Length |
| | POCER Rescue Screw Ti 4.0 mm Dia | |
| 729 | | 10mm Length |
| 730 | | 12mm Length |
| 731 | | 14mm Length |
| 732 | | 16mm Length |
| 733 | | 18mm Length |
| 734 | | 20mm Length |
| 735 | | 22mm Length |
| 736 | | 24mm Length |
| 737 | | 25mm Length |
| 738 | | 26mm Length |
| 739 | | 28mm Length |
| 740 | | 30mm Length |
| 741 | | 32mm Length |
| 742 | | 34mm Length |
| | POCER Shank Screw Ti 3.5 mm | |
| 743 | | 20 mm length |
| 744 | | 22 mm length |
| 745 | | 24 mm length |
| 746 | | 26 mm length |
| 747 | | 28 mm length |
| 748 | | 30 mm length |
| 749 | | 32 mm length |
| 750 | | 34 mm length |
| 751 | | 36 mm length |
| 752 | | 38 mm length |
| 753 | | 40 mm length |
| | POCER Occipital Plate with head 7 Hole | |
| 754 | | 28-40 mm |
| 755 | | 38-50 mm |
| | POCER Occipital Plate - 5 Hole | |
| | PD Occipital Plate | |
| 757 | | 1 Hole |
| 758 | | 2 Hole |
| 759 | | 3 Hole |
| | POCER Occipital Screw Ti 4.3 mm | |
| 760 | | 6 mm length |
| 761 | | 8 mm length |
| 762 | | 10 mm length |
| 763 | | 12 mm length |
| 764 | | 14 mm length |
| 765 | | 16 mm length |
| 766 | POCER Top Loading Crossing Link Ti (Small) | |
| | POCER Offset Body Hook Ti 5 mm Left | |
| 767 | POCER Offset Body Hook Ti 5 mm Right | |
| 768 | POCER Offset Body Hook Ti 5 mm Right | |





| | | |
|---|---|---------------------|
| 769 | POCER Offset Body Hook Ti 7 mm Left | |
| 770 | POCER Offset Body Hook Ti 7 mm Right | |
| 771 | POCER Connecting Rod (Ti) 3.7mm | |
| 772 | | 40 mm |
| 773 | | 50 mm |
| 774 | | 60 mm |
| 775 | | 70 mm |
| 776 | | 80 mm |
| 777 | | 90 mm |
| 778 | | 100 mm |
| 779 | | 120 mm |
| 780 | | 140 mm |
| 781 | | 160 mm |
| 782 | | 180 mm |
| 783 | | 200 mm |
| 784 | | 300 mm |
| 785 | | 400 mm |
| | POCER Connecting Rod (Pre-Bent) 3.7 mm | |
| 786 | | 250mm Length |
| | Occipito Cervical Plate Rod (Ti) | |
| 787 | | 3.7 mm dia x 2 hole |
| 788 | | 3.7 mm dia x 3 hole |
| 789 | | 3.7 mm dia x 4 hole |
| 790 | | 3.7 mm dia x 5 hole |
| | Cervical Occiputo Loops (Ti) 5.0mm dia | |
| 791 | | 50mm Length |
| 792 | | 60mm Length |
| 793 | | 70mm Length |
| 794 | | 80mm Length |
| 795 | | 90mm Length |
| | | |
| 796 | Malleable Wire - 100cm | |
| ANTERIOR CERVICAL LOCKING PLATE SYSTEM | | |
| ANCER System | | |
| | ANCER-Cervical Locking Plate Ti | |
| 797 | | 4 Hole x 23 mm |
| 798 | | 4 Hole x 26 mm |
| 799 | | 4 Hole x 29 mm |
| 800 | | 4 Hole x 32 mm |
| 801 | | 4 Hole x 35 mm |
| 802 | | 4 Hole x 38 mm |
| 803 | | 4 Hole x 41 mm |
| 804 | | 4 Hole x 44 mm |
| 805 | | 4 Hole x 47 mm |
| 806 | | 4 Hole x 50 mm |
| 807 | | 6 Hole x 53 mm |
| 808 | | 6 Hole x 56 mm |
| 809 | | 6 Hole x 59 mm |
| 810 | | 6 Hole x 62 mm |
| 811 | | 6 Hole x 65 mm |





| | | |
|--|--|-----------------------------------|
| 812 | ANCER-Locking Screw Ti (Small) | |
| ACE LOCK System | | |
| | ACE LOCK-Plate Ti | |
| 813 | | 4 Hole x 23 mm |
| 814 | | 4 Hole x 26 mm |
| 815 | | 4 Hole x 29 mm |
| 816 | | 4 Hole x 32 mm |
| 817 | | 4 Hole x 35 mm |
| 818 | | 4 Hole x 38 mm |
| 819 | | 4 Hole x 41 mm |
| 820 | | 6 Hole x 44 mm |
| 821 | | 6 Hole x 47 mm |
| 822 | | 6 Hole x 50 mm |
| 823 | | 6 Hole x 53 mm |
| 824 | | 6 Hole x 56 mm |
| 825 | | 6 Hole x 59 mm |
| 826 | | 6 Hole x 62 mm |
| 827 | | 6 Hole x 65 mm |
| | Anterior Cervical Bone Screw - Self Drilling | |
| 828 | | 4.0 mm x 12,14,16,18,20 mm (each) |
| | Anterior Cervical Bone Screw Rescue | |
| 829 | | 4.3 mm x 12,14,16,18,20 mm (each) |
| SERENE ANTERIOR CERVICAL SYSTEM | | |
| | SERENE Anterior Cervical Plate 4 Holes | |
| 830 | | 25 mm |
| 831 | | 28 mm |
| 832 | | 31 mm |
| 833 | | 34 mm |
| 834 | | 37 mm |
| 835 | | 40 mm |
| | SERENE Anterior Cervical Plate 6 Holes | |
| 836 | | 43 mm |
| 837 | | 46 mm |
| 838 | | 49 mm |
| 839 | | 52 mm |
| 840 | | 55 mm |
| 841 | | 58 mm |
| 842 | | 61 mm |
| 843 | | 64 mm |
| | SERENE Anterior Cervical Plate 8 Holes | |
| 844 | | 67 mm |
| 845 | | 70 mm |
| | SERENE Bone Screw self Drilling - 4 mm Dia | |
| 846 | | 12,14,16,18,20 mm (each) |
| | SERENE Bone Rescue Screw - 4.3 mm Dia | |
| 847 | | 12,14,16,18,20 mm (each) |





| CELINO LAMINOPLASTY PLATES | | |
|--|--|-------------------------------|
| | CELINO CERVICAL LAMINO PLASTY MINI PLATE (SINGLE BEND)135 Deg | |
| 848 | | 8LG |
| 849 | | 10LG |
| 850 | | 12LG |
| 851 | | 14LG |
| | CELINO CERVICAL LAMINO PLASTY MINI PLATE (DOUBLE BEND)159 Deg | |
| 852 | | 8LG |
| 853 | | 10LG |
| 854 | | 12LG |
| 855 | | 14LG |
| | CELINO T-PLATE CERVICAL LAMINO PLASTY (SINGLE BEND)135 Deg | |
| 856 | | 8LG |
| 857 | | 10LG |
| 858 | | 12LG |
| 859 | | 14LG |
| | CELINO T-PLATE CERVICAL LAMINO PLASTY (DOUBLE BEND) 159 Deg | |
| 860 | | 8LG |
| 861 | | 10LG |
| 862 | | 12LG |
| 863 | | 14LG |
| CEDIX | | |
| CERVICAL DISC SPACER SYSTEM | | |
| | CEDIX 7 Degree Spacer | |
| 864 | | 5 mm |
| 865 | | 6 mm |
| 866 | | 7 mm |
| 867 | | 8 mm |
| CERVICAL DISC SPACER WITH LOCKING | | |
| | CEDIX P Spacer | |
| 868 | | 5 mm length |
| 869 | | 6 mm length |
| 870 | | 7 mm length |
| 871 | | 8 mm length |
| 872 | | 9 mm length |
| 873 | | 10 mm length |
| 874 | | 11 mm length |
| 875 | | 12 mm length |
| | Disc Spacer Locking Bone Screw 4.0m dia | |
| 876 | | 10,12,14,16,18,20,22mm Length |
| PRO-LESS CAGE SET | | |
| | PRO-LESS Cage - 0 Degree | |
| 877 | | 6 mm |
| 878 | | 7 mm |
| 879 | | 8 mm |
| 880 | | 9 mm |
| 881 | | 10 mm |
| 882 | | 11 mm |
| 883 | | 12 mm |





| | | |
|---------------------------------|---|---|
| | PRO-LESS Cage - 7 Degree | |
| 884 | | 6 mm |
| 885 | | 7 mm |
| 886 | | 8 mm |
| 887 | | 9 mm |
| 888 | | 10 mm |
| 889 | | 11 mm |
| 890 | | 12 mm |
| | PRO-LESS Bone Screw (Ti) 4.0mm dia | |
| 891 | | 12,14,16,18,20mm Length |
| PRO-LESS HYBRID CAGE SET | | |
| | PRO-LESS HYBRID Cage - 0 Degree (Parallel) | |
| 892 | | 6 mm |
| 893 | | 7 mm |
| 894 | | 8 mm |
| 895 | | 9 mm |
| 896 | | 10 mm |
| 897 | | 11 mm |
| 898 | | 12 mm |
| | PRO-LESS HYBRID Cage - 7 Degree (Lordotic) | |
| 899 | | 7 mm |
| 900 | | 8 mm |
| 901 | | 9 mm |
| 902 | | 10 mm |
| 903 | | 11 mm |
| 904 | | 12 mm |
| | PRO-LESS HYBRID Cage - Convex | |
| 905 | | 7 mm |
| 906 | | 8 mm |
| 907 | | 9 mm |
| 908 | | 10 mm |
| 909 | | 11 mm |
| 910 | | 12 mm |
| | PRO-LESS HYBRID Bone Screw Self Tapping/Drilling (Ti) 4.0mm dia | |
| 911 | | 12,14,16,18,20mm Length |
| PEEK CEDIX SPACER | | |
| 912 | | 5 mm x 7 Degree |
| 913 | | 6 mm x 7 Degree |
| 914 | | 7 mm x 7 Degree |
| 915 | | 8 mm x 7 Degree |
| | Odontoid/Transarticular Screw Set | |
| | Transarticular Screw Ti 4.0 mm dia | |
| 916 | | 34,36,38,40,42,44,46,48,50,52,54,56,58,60,62,64 mm Length |
| | Odontoid Screw Ti 4.0 mm Dia | |
| 917 | | 34,36,38,40,42,44,46,48,50,52,54,56,58,60,62,64 mm Length |
| | POSTERIOR CERVICAL CAGES | |
| 918 | | 4.0mm |
| 919 | | 4.5mm |
| 920 | | 5.0mm |





| | | |
|-------------------------------|--|-----------------|
| 921 | | 5.5mm |
| 922 | | 6.0mm |
| 923 | | 7.0mm |
| 924 | | 8.0mm |
| 925 | | 9.0mm |
| 926 | | 10mm |
| | MICRO MESH (Ti) - 0.6mm Thick | |
| 927 | | 4 Inch x 4 Inch |
| 928 | | 5 Inch x 5 Inch |
| 929 | | 6 Inch x 6 Inch |
| 930 | | 7 Inch x 7 Inch |
| 931 | | 8 Inch x 8 Inch |
| PREFORMED MESH | | |
| | Micro Mesh-Preformed 0.6mm thick | |
| 932 | | 40mm x 40mm |
| 933 | | 60mm x 60mm |
| 934 | | 80mm x 80mm |
| 935 | | 100mm x 100mm |
| 936 | | 120mm x 120mm |
| 937 | | 150mm x 150mm |
| 938 | | 180mm x 180mm |
| 939 | | 200mm x 200mm |
| KYPHOPLASTY KIT SYSTEM | | |
| 940 | KYPHOPLASTY - Single Baloon | |
| 941 | KYPHOPLASTY - Double Baloon | |
| 942 | Disposable Medical Instruments C I S | |
| AIRO/ENDO CAGE SYSTEM | | |
| 943 | Airo Endo Cage (Intercertebral Fusion Device) - Parallel | |
| 944 | Airo Cage (Intercertebral Fusion Device) - Lordotic | |
| 945 | Airo Cage (Intercertebral Fusion Device) - Convex | |
| 946 | Hook Needle | |
| 947 | Titanium Acces Wire | |
| 948 | Nitinol Wire | |
| 949 | Cement Gun | |

Dr. C.K. Subbaraya
Registrar
Adichunchanagiri University
B.G.Nagara-571448