



TENDER NOTIFICATION

The Head, CLPC, Sri Adichunchanagiri Shikshana Trust invites closed tenders from eligible tenderers or bonafide licensed manufacturer (OEM) or their authorized local supplier/ dealer/ distributor in the state of Karnataka for the **Procurement of CCTV Camera for Adichunchanagiri Hospital and Research Center, BG Nagara - 571448, Mandya(D)** as per section I & II.

01	Name of the work	Procurement of CCTV Camera for Adichunchanagiri Hospital and Research Center, BG nagara - 571448, Mandya(D)
02	Last Date for Tender Submission	On or before 24.03.2025 before 5.30 PM

Section-1

Instructions to Tenderers

- 1) The Tenderer shall submit the bids (Technical & Financial bids) through the mail id: **clpthead@bgscet.ac.in** on or before the last date of tender submission (for any or all list of items) on professional business letterheads only. The details to be printed on the letter head is as follows
 - i) Tender for Procurement of CCTV Camera for Adichunchanagiri Hospital and Research Center, BG Nagara - 571448, Mandya(D)
 - ii) Tender Reference number.....[Insert Number]
 - iii) Address to "The HEAD, CLPC, Sri Adichunchanagiri Shikshana Trust, BGSCET Campus, Mahalakshmpuram, Bengaluru - 560086"
 - iv) The tenderer shall submit the original documents to this office on the last day of submission for verification who prefers to submit the tender through Post can dispatch the same through Registered post / Speed post or Couriers as to reach the above address on or before the due date and time specified in the Tender Notice. Tenders received after the due date and time, for what so ever reasons will not be considered and the authority, Head of CLPC will not be liable or responsible for the same.
- 2) **Tender Currency:** Prices shall be quoted in Indian Rupees only.
- 3) **AMC/CMC (IF ANY)** is subject to the Sri Adichunchanagiri shikshana trust's norms.
- 4) **Warranty:** 3 Years.
- 5) **Amendment of tender documents:** At any time prior to the deadline of submission of tenders the trust may, for no reason, whether as its own initiative or otherwise modify the tender documents by amendment. Sri Adichunchanagiri Shikshana Trust reserves all the rights to accept, reject, incorporate changes and re-tender without giving any reasons.





- 6) **Documents Comprising the Tender:** Shall attach Brochure, Certification of the product, Bank/account details, PAN, GSTIN, Good Standing Certificate and 02 years of ITR declaration inside the envelope and the company contact details with email id on the in the below mention format in annexure - 1.
- 7) **Tender Prices:** Prices indicated on the price schedule shall be entered separately I.e. the price of the goods, quoted (ex-works, ex-factory, ex-showroom, ex-warehouse, or off-the-shelf, as applicable), including all duties and sales and the other taxes already paid or payable. Any Indian duties, sales and other taxes which will be payable on the goods if the contract is awarded. Conditional tenders will not be considered. The bidder has to give the quotation in the below enclosed format in annexure - 2.
- 8) **Validity of the Bid:** 90 days from the last date of submission of bid.
- 9) **Corrupt or Fraudulent practices:** Sri Adichunchanagiri Shikshana Trust requires that the tenderers, observe the highest standard of ethics during the procurement and execution of such contracts. In purchase of this policy:
 - a) Will reject a proposal for award if it determines the tenderer recommended for award has engaged in corrupt or fraudulent practices in competing for the contract in question;
 - b) Will declare a firm ineligible, either indefinitely or for the stated period of time, to be awarded a university contract if it any time determines that the firm has engaged in corrupt or fraudulent practices in competing for, or in executing, a trust contract.
- 10) **Process to be confidential:** Information relating to the examination, clarification, evaluation, and comparison of tenders and recommendations for the award of contract will not be disclosed to tenderers or any other persons not officially concerned with such process until the award to the successful tenderer has been announced. Any effort by a tenderer to influence the employer's processing of tenders or award decisions may result in rejection of his tender.
- 11) **Clarification of Tenders:** To assist in the examination, evaluation, and comparison of tenders the employer may, at his discretion, ask and tenderer for clarification of his tender, including breakdowns of unit rates. The request for clarification and the response shall be writing or by cable, but no change in the price or substance of the tender shall be sought, offered, or permitted except as required to confirm the correction of arithmetic errors discovered by the employers in the evaluation of the tenders.
- 12) **Delivery:** The successful BIDDER should commence the service as per the tender document/work or purchase order. For any queries or assistance, please write to clpthead@bgscet.ac.in or telephone to +91- 8123707324.
- 13) **Penalty Clause:** Non-execution of supply order - for the reasons of failure to supply partially or completely within the stipulated time or any event of breach of contract. In case at any following stages
 - a) For the delayed supply (3 days of grace period) - 5% deduction
 - b) Quantity issues - 5 % deduction
 - c) Quality issues - 10% deduction



Section-2

Technical Specification

SL. No	Particulars	Total Quantity in Nos.
1.	CCTV Camera	

Technical Specifications for CCTV Camera:

Sl.No	Particulars	Qty in Nos	Rate	GST	Amount
1	4MP 2.8mm vandal prof camera DS-2CD3141G2E-I (Hikvision, High quality imaging with 4 MP resolution Support Human Detection Water and dust resistant (IP67) and vandal resistant (IK08) Clear imaging even with strong back lighting due to 120 dB WDR Efficient H.265+ compression technology EXIR 2.0: advanced infrared technology with long IR range Support Human and Vehicle Detection Camera Image Sensor 1/2.9" Progressive Scan CMOS Max. Resolution 2560 × 1440 Shutter Time 1/3 s to 1/100,000 s Min. Illumination Color: 0.01 Lux @ (F2.0, AGC ON), B/W: 0 Lux with IR Day & Night IR cut filter Angle Adjustment Pan: 0° to 355°, tilt: 0° to 75° Lens Lens Type Fixed focal lens, 2.8 and 4 mm optional Focal Length & FOV 2.8 mm, horizontal FOV 99.5°, vertical FOV 55.5°, diagonal FOV 116.1° 4 mm, horizontal FOV 76.8°, vertical FOV 41.5°, diagonal FOV 90.8° Lens Mount M12 Iris Type Fixed Aperture F2.0 DORI DORI 2.8 mm, D: 59 m, O: 23 m, R: 11 m, I: 5 m 4 mm, D: 79 m, O: 31 m, R: 15 m, I: 7 m)	30			
	4mp bullet camera 8mm- DS 2CD3041G2E-I (Hikvision, High quality imaging with 4 MP resolution Support Human Detection Water and dust resistant (IP67) Clear imaging even with strong back lighting due to 120 dB WDR				

[Handwritten Signature]



2	<p>Efficient H.265+ compression technology EXIR 2.0: advanced infrared technology with long IR range Support Human and Vehicle Detection Specification Camera Image Sensor 1/2.9" Progressive Scan CMOS Max. Resolution 2560 × 1440 Min. Illumination Color: 0.01 Lux @ (F2.0, AGC ON), B/W: 0 Lux with IR Shutter Time 1/3 s to 1/100,000 s Day & Night IR cut filter Angle Adjustment Pan: 0° to 360°, tilt: 0° to 90°, rotate: 0° to 360° Lens Lens Type Fixed focal lens, 2.8 and 4 mm optional Focal Length & FOV 2.8 mm, horizontal FOV 99.5°, vertical FOV 55.5°, diagonal FOV 116.1° 4 mm, horizontal FOV 76.8°, vertical FOV 41.5°, diagonal FOV 90.8° Lens Mount M12 Iris Type Fixed Aperture F2.0 DORI DORI 2.8 mm, D: 59 m, O: 23 m, R: 11 m, I: 5 m 4 mm, D: 79 m, O: 31 m, R: 15 m, I: 7 m)</p>	25			
3	<p>4MP2.8mm 12mm Bullet varifocal camera-DS-2CD3641G2-IZS (Hikvision ,High quality imaging with 4 MP resolution .Efficient H.265+ compression technology to save bandwidth and storage .Clear imaging against strong back light due to WDR technology .3D DNR technology delivers clean and sharp images . Easy installation with Power over Ethernet (PoE) technology . Water and dust resistant (IP67) Camera Image Sensor ½.9" Progressive Scan CMOS Max. Resolution 2560 × 1440 Shutter Time 1/3 s to 1/100,000 s Min. Illumination Color: 0.005 Lux @ (F1.6, AGC ON), 0 Lux with light Day & Night IR cut filter Angle Adjustment Pan: 0° to 360°, tilt: 0° to 90°, rotate: 0° to 360° Lens Lens Type Varifocal lens, motorized lens, 2.7 to 13.5 mm Focal Length & FOV 2.7 to 13.5 mm, horizontal FOV 96.7° to 29.7°, vertical FOV 51.7° to 16.7°, diagonal FOV 114.3° to 34.0° Lens Mount Integrated Iris Type Fixed Aperture Max. F1.6 Depth of Field Wide: 1 m to ∞ Tele: 4.1 m to ∞ DORI DORI Wide: D: 64 m, O: 25.4 m, R: 12.8 m, I: 6.4 m Tele: D: 198 m, O: 78.6 m, R: 39.6 m, I: 19.8 m)</p>	15			
	<p>64 channel 4k NVR 8 sata-DS 8664NXI-18/S (Hikvision,H.265+/H.265/H.264+/H.264 video formats Intelligent analytics based on</p>				

Handwritten signature





4	<p>deep learning algorithm Up to 4-ch perimeter protection Up to 4-ch facial recognition for video stream Up to 8-ch facial recognition for face picture Up to 64-ch IP camera inputs Up to 32-ch 1080p decoding capability Up to 8-ch IP speakers can be connected Function Compression and Recording H.265+ compression effectively reduces the storage space by up to 75% Full channel IP cameras connection Compatible with third-party network cameras HD Video Output Provide independent HDMI and VGA outputs HDMI video output at up to 4K resolution Storage and Playback Up to 8 SATA interfaces for HDD connection 16-ch synchronous playback Smart & POS Function Support multiple VCA (Video Content Analytics) events Smart search for the selected area in the video, and smart playback to improve the playback efficiency POS information overlay on live view and playback POS triggered recording and alarm)</p>	01			
5	<p>12 TB Security Surveillance HDD (WD/Seagate/Toshiba)</p>	08			
6	<p>Cisco C1300-24P 24 Port POE SFP+ (Cisco,Critical building block for any branch office or SMB office network From connectivity to cloud applications, networking plays a crucial role in every business journey. Reliability, security, and affordability continue to be top of mind, while ongoing management and operations add complexity that takes time and resources. Cisco Catalyst 1300 Series switches The Cisco Catalyst 1300 Series Switches are fixed, managed, enterprise-class Gigabit Ethernet Layer 3 switches designed for small and medium-sized business and branch offices. Business applications Whether you need a basic high-performance network to connect employee computers or a solution to deliver data, voice, and video services, the Cisco Catalyst 1300 Series Switches offer a solution to meet your needs.Features and</p>	05			

[Handwritten Signature]



	benefits The Cisco Catalyst 1300 Series Switches provide the advanced feature set that growing businesses require and that high-bandwidth applications and technologies demand.High reliability and resiliency.)				
7	1 Gig SFP Module (Cisco)	08			
8	Pole 4M erection with Civil Work (ISI STANDARD)	11			
9	Termination box (ISI STANDARD)	10			
10	Mounting box for IP cameras (ABS ENCLOSURE WITH GLAND) (ISI STANDARD)	70			
11	Supply Of 9 U rack with accessories FULLY LOADED (D LINK/Netracker)	05			
12	Supply and Installation of Cat 6 Jack Panel 24 Port Loaded (MOLEX)	05			
13	Fiber Jack Panel 6 Port (MOLEX)	05			
14	SC to SC 2 mtr OFC patch cable (MOLEX)	10			
15	SC to LC 1.5mtr Patch cable pair (MOLEX)	10			
16	CAT 6 UTP 4 core wire with fully Copper (MOLEX(305m box))	17			
17	Supply of cat 6 outdoor double shield cable with accessories (MOLEX(305m box))	04			
18	6 Core Single Mode Armoured Fibre (Molex)	1500 Mtr			
19	Conduit Pipe with accessories. (ISI STANDARD)	6300 Mtr			
20	LAYING OF CAT6 CABLE WITH CONDUIT PIPE (Labour)	7230 Mtr			
21	"6 Core OFC Single Mode armored, Laying with Conduit wherever required" (Labour)	1500 Mtr			
22	Supply and Installation of Lan cable 3 mtr (Molex)	200 Mtr			



23	Road Cutting, Digging and other Civil Works (Labour)	01			
24	9U Racks at all locations (Labour)	01			
25	Cable End to End Testing, Naming, Labelling and CCTV Labelling (Labour)	70			
26	"Installation and configuration of Cameras and NVR." (Labour)	70			
27	OFC Fiber splicing at all Fiber termination points crimped with High Precision Electronic Fiber Splicing Machine	01			
28	Installation, Configuration and Commissioning of 12 Nos Managed L2 Switches. VLAN, Routing config etc. (Integrating with existing system) (Labour)	01			
29	Execution of Project, Implementing surveillance system, Project documentation with transportation charges, On-Site Support for 2Year. (Labour)	01			



Annexure - 1

PARTICULARS OF THE BIDDER

Sr. No	Description	Details (to be filled by the responder to the Bid)
1	Name of the company	
2	Official address	
3	Phone No. And Fax No.	
4	Corporate Headquarters Address	
5	Phone No. And Fax No.	
6	Web Site Address	
7	Details of Company's Registration (Please enclose copy of the company registration document)	
8	Name of Registration Authority	
9	Registration Number and Year of Registration	
10	ISO certifications and its validity	
11	GST registration No.	
12	Permanent Account Number (PAN)	
13	Company's Revenue for last 3 years (Year wise)	
14	Company's net worth for the last year	
15	Bank Details (Name, Account no., Branch, IFSC, MICR)	




Annexure - 2

The Bidder has to quote the rate in the Item Data available online with this bid. Details to be filled up for price bid are as below:

The price shall be inclusive of all taxes (inclusive of GST) under the relevant Laws of India.

SL. No	Particular	Amount In Rs. (Inclusive of All the taxes)
1	Total Cost for the Procurement of CCTV Camera for Adichunchanagiri Hospital and Research Center, BG nagara - 571448, Mandya(D)	
Total in Rs and in words -		


HEAD, CLP
ADICHUNCHANAGIRI
SHIKSHANA TRUST
BANGALORE - 560004