Date: 10-11-2025

SAST/CLPC/ACU-BGSMCH/144 /2025-26

TENDER NOTIFICATION

The Head, CLPC, Sri Adichunchanagiri Shikshana Trust invites closed tenders from eligible tenderers or bonafide licensed manufacturer (OEM) or their authorized local supplier/ dealer/ distributor in the state of Karnataka for the **Procurement of Urology Instruments for BGS MCH Hospital, Nagarur, Nelamangala.** as per section I & II.

01	Name of the work	Procurement of Urology Instruments for BGS MCH Hospital, Nagarur, Nelamangala.
02	Last Date for Tender Submission	On or before 17.10.2025 before 5.30 PM

Section-1

Instructions to Tenderers

- 1) The Tenderer shall submit the bids (Technical & Financial bids) through the mail id: **clpchead@bgscet.ac.in** on or before the last date of tender submission (for any or all list of items) on professional business letterheads only. The details to be printed on the letter head is as follows
 - i) Tender for Procurement of Urology Instruments for BGS MCH Hospital, Nagarur, Nelamangala.

 - iii) Address to ""The HEAD, CLPC, Sri Adichunchanagiri Shikshana Trust, BGSCET Campus, Mahalakshmipuram, Bengaluru 560086"
 - iv) The tenderer shall submit the original documents to this office on the last day of submission for verification who prefers to submit the tender through Post can dispatch the same through Registered post / Speed post or Couriers as to reach the above address on or before the due date and time specified in the Tender Notice. Tenders received after the due date and time, for what so ever reasons will not be considered and the authority, Head of CLPC will not be liable or responsible for the same.
- 2) **Tender Currency:** Prices shall be quoted in Indian Rupees only.
- 3) **AMC/CMC (IF ANY)** is subject to the Sri Adichunchanagiri shikshana trust's norms.
- 4) Warranty: 3 years.
- 5) Amendment of tender documents: At any time prior to the deadline of submission of tenders the trust may, for no reason, whether as its own initiative or otherwise modify the tender documents by amendment. Sri Adichunchanagiri Shikshana Trust reserves all the rights to accept, reject, incorporate changes and re-tender without giving any reasons.

THE HEAD CLPC, AGU



- 6) **Documents Comprising the Tender:** Shall attach Brochure, Certification of the product, Bank/account details, PAN, GSTIN, Good Standing Certificate and 02 years of ITR declaration inside the envelope and the company contact details with email id on the in the below mention format in annexure 1.
- 7) **Tender Prices:** Prices indicated on the price schedule shall be entered separately I.e. the price of the goods, quoted (ex-works, ex-factory, ex-showroom, ex-warehouse, or off-the-shelf, as applicable), including all duties and sales and the other taxes already paid or payable. Any Indian duties, sales and other taxes which will be payable on the goods if the contract is awarded. Conditional tenders will not be considered. The bidder must give the quotation in the below enclosed format in annexure 2.
- 8) Validity of the Bid: 90 days from the last date of submission of bid.
- 9) **Corrupt or Fraudulent practices:** Sri Adichunchanagiri Shikshana Trust requires that the tenderers, observe the highest standard of ethics during the procurement and execution of such contracts. In purchase of this policy:
 - a) Will reject a proposal for award if it determines the tenderer recommended for award has engaged in corrupt or fraudulent practices in competing for the contract in question.
 - b) Will declare a firm ineligible, either indefinitely or for the stated period of time, to be awarded a university contract if it any time determines that the firm has engaged in corrupt or fraudulent practices in competing for, or in executing, a trust contract.
- 10) Process to be confidential: Information relating to the examination, clarification, evaluation, and comparison of tenders and recommendations for the award of contract will not be disclosed to tenderers or any other persons not officially concerned with such process until the award to the successful tenderer has been announced. Any effort by a tenderer to influence the employer's processing of tenders or award decisions may result in rejection of his tender.
- 11) **Clarification of Tenders:** To assist in the examination, evaluation, and comparison of tenders the employer may, at his discretion, ask and tenderer for clarification of his tender, including breakdowns of unit rates. The request for clarification and the response shall be writing or by cable, but no change in the price or substance of the tender shall be sought, offered, or permitted except as required to confirm the correction of arithmetic errors discovered by the employers in the evaluation of the tenders.
- 12) **Delivery:** The successful BIDDER should commence the service as per the tender document/work or purchase order. For any queries or assistance, please write to clpchead@bgscet.ac.in or telephone to +91-8123707324.
- 13) **Penalty Clause:** Non-execution of supply order for the reasons of failure to supply partially or completely within the stipulated time or any event of breach of contract. In case at any following stages
 - a) For the delayed supply (3 days of grace period) 5% deduction
 - b) Quantity issues 5 % deduction
 - c) Quality issues 10% deduction

THE HEAD CLPC, ACU Mahalakshmipuram, Bengaluru2-1960066.




Section-2

Technical Specification

SL. No	Particulars	Total Quantity in Nos.	Unit Price in Rs.	Total Price in Rs.		
Lower Tract Urology Instruments						
1	Telescope 30° Ø 4mm WI 300mm Rigid, Tl 364 mm, Rod Lens system	1				
2	Outer Sheath Resectoscope 24fr Sl 189 Mm, Round, Rotatable, Distal End Straight, Continuous Irrigation, Compatible with Shark Inner Sheath, And Telescopes Ø 4 Mm, 0° / 12° / 30°, Snap-On Lock, Reusable	1				
3	Internal Sheath Resectoscope 22fr Colour Code Green, Wl205 Mm, Round, Rotatable, slanted distal End, Ceramic, continuous irrigation compatible with shark outer sheath, and telescopes Ø 4 mm, 0° / 12° / 30°, snap-on lock, reusable	1				
4	Viewing obturator Resectoscope 22fr color code green, Wl 232mm, rounded, distal end, compatible with shark inner sheath, and telescopes Ø 4mm, 0° / 12° / 30°, bayonet – Cap, reusable	1				
5	Irrigation adaptor Resectoscope 24/26fr rotatable, intermittent flushing, compatible with shark sheath, with luer connection, reusable	1				
6	Working Element passive bipo 0° / 12° / 30° open, compatible with telescopes Ø 4mm bayonet-cap , reusable	1				
7	Hf connection cable, mono L 3m reusable	1				
8	Cutting Electrode	6				
9	Coagulation electrode	2				
10	Hook Electrode	2				



			The state of the s	
11	Cold Knife for strictures	2		
12	Sheath for Cystoscope 19.5fr colour code red, sl 231mm, Oval, with obturator, slanted distal end, capacity for instruments upto 7 fr or 2 x 5 fr, compatible with attachments and telescopes Ø 4 mm, with 2 flushing ports, quick-lock, reusable	1		
13	Adapter for cystoscope Tl 60 mm, compatible with sheath and telescopes Ø 4 mm, 0° / 12° / 30° / 70° , with introduction port, bayonet-cap, reusable	1		
14	Telescope 4mm 30°	1		
	Ureteroscope	1		
15	Ureterorenoscope 5° 6/7.5 Fr Wl 430 mm semirigid, with lateral ocular lens, working channel 1 x 4 (2 x 2.2) Fr, Atraumatic distal tip, Tl 599 mm, fibre image carrier			
Grasping forceps bundle mouse tooth, double action, Wl 550 mm, with irrigation connection, take-apart, reusable		1		
	Nephoscope set			
17	Nephoscope 12 ^o 20.8 Fr Wl 224 mm Rigid, with parallel Ocular lens, working channel for instruments upto 10.5 Fr, Tl 387 mm, Rod lens system	1	2	
18	Sheath for nephoscope 20.8 Fr Sl 204 mm, round, rotatable stopcock, distal and straight compatible with nephoscope, quick-lock reusable	1		
19	PCNL dilator set 9-27 Fr with central guide rod 6 Fr	1		
20	Grasp, Forceps insert 10.5 Fr Wl 350 mm Pikemouth Wl 350 mm, double action with irrigation connection, take – apart reusable quantity	1		





SL. No	Particulars	Total Quantity in Nos.	Unit Price in Rs.	Total Amount in Rs.
	4K 3 Chip Camera Control Unit			
	Performance Technical Parameters:			
	• Signal output resolution: 3840 * 2160 pixels			
	• The minimum illumination: ≤0.08 lx			
	Automatic white balance function available			
	Digital zoom: 2.0 X			50
	Digital zoom adjustable level: 8			
	Surgical modes system preset: 9 presets			
	• User-defined surgical modes: ≥9 presets			
1	Software upgrade and remote fault diagnosis	1		
	function available			
	Features:			
	Image/Video Storage: External			
	• Support the storage media with FAT32, NTFS, EXT			
	2/3/ 4 format			
	USB ports support USB2.0 and USB3.0			
	Images and videos can be stored on hard disk with			
	an USB connection: the image format is JPEG, the video			
	format is MP4			
	4K 3-chip Camera Head			
	• Image sensor: 3-chip			
2	• Resolution: 3840*2160 pixels	1	55	
-	Scanning method: progressive scanning			
	• 3 camera buttons, 6 shortcut keys, and no less			



	than 15 selection functions		
	• Cable length: 3m		
3	Camera Zoom Coupler-13-32mm	1	
	Optical zoom with 13-32mm	1	
	ML-20 LED Light Source		
	• LED Light Power 180w with integrated, high-		
	performance LED and one light outlet		
	• 3 connectors, Compatible with three different		
	optical Fiber interfaces (Karl Storz, Olympus, Wolf)		
	Illumination technology: LED		
	Colour temperature: 5,000-7,000K		
	Service life: 35,000 hours		
	• The nominal value of the total luminous flux		
	output: ≥ 1,500 lm (Nominal value), ≥3000lm (Measured value)		
4	• Light source automatically controlled by the	1	
3	camera via camera head.		
	• Brightness manually adjustment available both on light source and on camera control unit touch screen		
6 ×	• Extremely long, lamp lifetime of 30,000 hrs and very high energy efficiency with the latest LED		
	technology		
	• Energy saving operation due to adjustable brightness control		
	Brightness automatically adjustment by camera control unit available		
	• Extraordinarily quiet operation High environmental performance High serviceability		
	Protection: the system cannot enter the		



Γ		luminous mode without optical Fiber insertion		
		• External power supply: 100-240V/Ac 50/60Hz		
		Noise less than 55db		
		• Shell temperature: Less than 55c		
-		Fiber Optic Cable		
	5	Fiber Optic Light Cable extremely heat-resistant,	1	
		diameter 4.8mm X 3.0 mtr		
		27" View Sonic Monitor		
		Screen type: Active matrix - TFT LCD		=
		Panel type: IPS	2	
		Screen dimensions:60.96 cm (24-inches viewable image size)		y .
		Preset display area:518.4 (H) X 324.0 (V) mm		
		Horizontal:518.4 mm (20.3 inches)		
		Vertical:324.0 mm (12.7 inches)		
		Pixel pitch:0.27 mm		
	6	Viewing angle:178° (vertical) typical,178° (horizontal)	1	
		typical		
		Luminance output :300 cd/m²(typical)		
		Contrast ratio:1000 to 1 (typical), 2M to 1 (typical		
		Dynamic Contrast On)		
		Faceplate coating: Antiglare with hard coating 3H		
		Backlight: LED edge light system		
		Response time:8 Ms Gray-to-Gray (typical)		
		Colour depth:16.7 million colours		
		Colour gamut:82%		





Annexure - 1

PARTICULARS OF THE BIDDER

Sr. No	Description	Details (to be filled by the responder to the Bid)
1	Name of the company	
2	Official address	
3	Phone No. And Fax No.	
4	Corporate Headquarters Address	
5	Phone No. And Fax No.	
6	Web Site Address	
7	Details of Company's Registration (Please enclose copy of the company registration document)	
8	Name of Registration Authority	
9	Registration Number and Year of Registration	
10	ISO certifications and its validity	
11	GST registration No.	
12	Permanent Account Number (PAN)	
13	Company's Revenue for last 3 years (Year wise)	
14	Company's net worth for the last year	
15	Bank Details (Name, Account no., Branch, IFSC, MICR)	



Annexure - 2

The Bidder has to quote the rate in the Item Data available online with this bid. Details to be filled up for price bid are as below:

The price shall be inclusive of all taxes (inclusive of GST) under the relevant Laws of India.

SL. No	Particular				Amount In Rs. (Inclusive of All the taxes)
1	A STATE OF THE PARTY OF T	for		Procurement of Urology MCH Hospital, Nagarur,	
Total i	n Rs and in wo		-		

