

SAST/CLPC/ACU-BGSMCH/ 241 /2025-26

Date: 01-01-2026

TENDER NOTIFICATION

The Head, CLPC, Sri Adichunchanagiri Shikshana Trust invites closed tenders from eligible tenderers or bonafide licensed manufacturer (OEM) or their authorized local supplier/ dealer/ distributor in the state of Karnataka for the **Procurement of Equipment's for the department of Pharmacology at BGS MCH Hospital, Nagarur, Nelamangala.** as per section I & II.

01	Name of the work	Procurement of Equipment's for the department of Pharmacology at BGS MCH Hospital, Nagarur, Nelamangala.
02	Last Date for Tender Submission	On or before 10.01.2026 before 5.30 PM

Section-1**Instructions to Tenderers**

- The Tenderer shall submit the bids (Technical & Financial bids) through the mail id: **clpchead@bgscet.ac.in** on or before the last date of tender submission (for any or all list of items) on professional business letterheads only. The details to be printed on the letter head is as follows
 - Tender for Procurement of Equipment's for the department of Pharmacology at BGS MCH Hospital, Nagarur, Nelamangala.
 - Tender Reference number.....[Insert Number]
 - Address to "The HEAD, CLPC, Sri Adichunchanagiri Shikshana Trust, BGSCET Campus, Mahalakshimpuram, Bengaluru - 560086"
 - The tenderer shall submit the original documents to this office on the last day of submission for verification who prefers to submit the tender through Post can dispatch the same through Registered post / Speed post or Couriers as to reach the above address on or before the due date and time specified in the Tender Notice. Tenders received after the due date and time, for what so ever reasons will not be considered and the authority, Head of CLPC will not be liable or responsible for the same.
- Tender Currency:** Prices shall be quoted in Indian Rupees only.
- AMC/CMC (IF ANY)** is subject to the Sri Adichunchanagiri shikshana trust's norms.
- Warranty:** 3 years.
- Amendment of tender documents:** At any time prior to the deadline of submission of tenders the trust may, for no reason, whether as its own initiative or otherwise modify the tender documents by amendment. Sri Adichunchanagiri Shikshana Trust reserves



1 | Page

all the rights to accept, reject, incorporate changes and re-tender without giving any reasons.

- 6) **Documents Comprising the Tender:** Shall attach Brochure, Certification of the product, Bank/account details, PAN, GSTIN, Good Standing Certificate and 02 years of ITR declaration inside the envelope and the company contact details with email id on the in the below mention format in annexure - 1.
- 7) **Tender Prices:** Prices indicated on the price schedule shall be entered separately I.e. the price of the goods, quoted (ex-works, ex-factory, ex-showroom, ex-warehouse, or off-the-shelf, as applicable), including all duties and sales and the other taxes already paid or payable. Any Indian duties, sales and other taxes which will be payable on the goods if the contract is awarded. Conditional tenders will not be considered. The bidder has to give the quotation in the below enclosed format in annexure - 2.
- 8) **Validity of the Bid:** 90 days from the last date of submission of bid.
- 9) **Corrupt or Fraudulent practices:** Sri Adichunchanagiri Shikshana Trust requires that the tenderers, observe the highest standard of ethics during the procurement and execution of such contracts. In purchase of this policy:
 - a) Will reject a proposal for award if it determines the tenderer recommended for award has engaged in corrupt or fraudulent practices in competing for the contract in question;
 - b) Will declare a firm ineligible, either indefinitely or for the stated period of time, to be awarded a university contract if it any time determines that the firm has engaged in corrupt or fraudulent practices in competing for, or in executing, a trust contract.
- 10) **Process to be confidential:** Information relating to the examination, clarification, evaluation, and comparison of tenders and recommendations for the award of contract will not be disclosed to tenderers or any other persons not officially concerned with such process until the award to the successful tenderer has been announced. Any effort by a tenderer to influence the employer's processing of tenders or award decisions may result in rejection of his tender.
- 11) **Clarification of Tenders:** To assist in the examination, evaluation, and comparison of tenders the employer may, at his discretion, ask and tenderer for clarification of his tender, including breakdowns of unit rates. The request for clarification and the response shall be writing or by cable, but no change in the price or substance of the tender shall be sought, offered, or permitted except as required to confirm the correction of arithmetic errors discovered by the employers in the evaluation of the tenders.
- 12) **Delivery:** The successful BIDDER should commence the service as per the tender document/work or purchase order. For any queries or assistance, please write to clpthead@bgscet.ac.in or telephone to +91-8123707324.
- 13) **Penalty Clause:** Non-execution of supply order – for the reasons of failure to supply partially or completely within the stipulated time or any event of breach of contract. In case at any following stages
 - a) For the delayed supply (3 days of grace period) – 5% deduction
 - b) Quantity issues – 5 % deduction
 - c) Quality issues – 10% deduction



Section-2**Technical Specification****ANIMAL HOUSE****List of Equipment's required for Animal House for Postgraduate Inspection**

Sl No	Equipment	Qty	Rate in Rs.	GST%	Total Amount in Rs.
1.	Rat Cage	06			
2.	Mice Cage	06			
3.	Guinea Pig Cage	04			
4.	Rabbit Cage	04			
5.	Rabbit Holder	01			
6.	Mice And Rat Holder	01 each			
7.	Rat And Mice Feeding Needles	02 of each gauge			
8.	Syringes- 1ml, 2.5ml, 5ml, 10ml	10 each			
9.	Dissection Kit	02			
10.	Dissection Table	01			
11.	Air Conditioning Facility				
12.	Non-Sterile Gloves	01 box			
13.	Weighing Machine- Digital (Big & Small)	01 each			
14.	Torch	01			
15.	Wall Thermometer	01			
16.	Digital Hygrometer	01			
17.	Wall Clock	01			
18.	Tables	03			
19.	Chairs	03			
20.	Dustbins of Different Color as Per	02			

	Waste Segregation				
21.	Ac Curtains for Windows				
22.	Hay	01 bag			
23.	Feeding Bottles- Rat, Mice Rabbit & Guinea Pig	06 each			
24.	Cooks Pole Climbing Apparatus	01			
25.	Haffner's Tail Clips	02			
26.	Digital Elevated Plus Maze	01			
27.	Hot Air Oven	01			
28.	Water Bath	01			
29.	Distilled Water Plant	01			
30.	Sherrington rotating drum	4			
31.	Double chamber organ bath	4			
32.	Frontal writing lever	10			
33.	Starling heart lever	1			
34.	Brodie's universal lever	1			
35.	Gimbal lever	1			
Total Amount in (Excluding GST)					





List of equipment's required for MD Pharmacology and DM Clinical Pharmacology Inspection.

Sl no	Equipment	Qty	Rate in Rs.	GST %	Total Amount in Rs.
1.	Choice reaction time Measures reaction time to visual and auditory stimuli Facility for sound lateralization (right or left ear) Provides simple, discriminatory, and choice reactions Built-in 4-digit digital chronoscope with a least count of 1/1000 sec Includes four stimuli, two response keys, and a ready signal Switches provided for selecting right or left response key for any stimulus Operates on 230V AC mains	01			
2	Handheld Dynamometer Display Type - LCD Display Size - 12 mm Display of isometric grip force - 90 Kg Brand - Camry Material - Plastic	01			
3	Critical flicker fusion apparatus Specifications • Power Supply • AC/DC Wall mount adapter 5V 5W w/ USB 1.1 Cable A Male to B Male 4.92' Shielded	01			

	<ul style="list-style-type: none"> • Computer USB port • Frequency: 1.0 to 100.0 Hz in 0.1 Hz increments with an error of 0.05% • Slide Holder: 2" x 2" 35 mm holder for optional neutral density filters with 0.5% to 50% light transmission • Auto Mode Ramp Rates: Options of 0.5, 1, 2, and 4 Hz per second • External Response: SPDT normally open hand-held switch with 3.5 mm stereo plug • Typical Maximum Luminance: 58 Cd/m² • Viewing Angle: 1.9 degrees • Light/Dark Ratio: 1:1 • Stimulus Color: White • Viewing Chamber Color: Black • Viewing Chamber Mask: Hobart 770094 Welding Oxy-Acetylene • Viewing Chamber: • Dimensions: 7" x 19" x 16" (L x W x H) • Weight: 6.3 lbs 				
4.	<p>12 lead ECG Machine</p> <p>Auto Record: 25mm/s, 50mm/s, error $\pm 5\%$ [Record setup according to auto record format and mode, automatically changing leads, measuring and analyzing]</p> <p>CMRR: 60dB, ≥ 100dB [Add Filter]</p> <p>Description: 7" LCD display with Touch screen</p> <p>EMG Interference Filter: 35Hz [-3dB]</p> <p>Frequency Response: 0.05 ~ 150Hz [-3dB ~ 0.4dB]</p>	01			

<p>Input Impedance: $\geq 50M\Omega$</p> <p>Input way: Floating and Defibrillation Protection</p> <p>Lead: Standard 12 leads</p> <p>Machine Net Weight: 2.25Kg</p> <p>Manual Record: 5mm/s, 6.25mm/s, 10mm/s, 12.5mm/s, 25mm/s, 50mm/s, error $\pm 5\%$ [Record setup according to auto record format and mode, manual changing leads]</p> <p>Measurement Parameters: HR, P-R interval P duration, QRS duration, T duration, Q-T interval, Q-Tc, P Axis, QRS Axis, T Axis, R[V5], S[V1], R[V5]+S[V1]</p> <p>Noise Level: $\leq 15\mu V_{p-p}$</p> <p>Paper Size: 210mm [W] x 20m [L] high speed thermal paper</p> <p>Patient Leak Current: $\leq 10\mu A$</p> <p>Power Supply: AC 100 ~ 240V, 50/60Hz DC 14.8V, 3700mAh Rechargeable lithium battery</p> <p>Printing Modes: 12*1, 6*2 + 1, 6*2, Rhythm row 12, row 10, row 8, row 6 etc with multiple formats</p> <p>Product Safety Type: Class I CF applied part, there is defibrillation and pacing protection circuit in it</p> <p>Recording: Auto, Manual and Rhythm</p> <p>Recording Way: Thermal Printing System</p> <p>Sensitivity Selection: 5, 10, 20, 40 mm/mV, [Error $\pm 5\%$], Standard sensitivity is 10mm/mV $\pm 0.2mm/mV$</p> <p>Time Constant: Time $\geq 3.2s$</p> <p>Ending Polarization Voltage: $\pm 500mV$</p> <p>Commodity Name: 12 LEAD ECG MACHINE</p> <p>Colour: White</p> <p>Dimensions: 334mm[L] X 320mm[W] X 85mm[H]</p>				
---	--	--	--	--

5.	Physiograph / Data Acquisition System Technical Specifications No. Of channels 1,2 & 3 Display & Size, Coloured TFT : 15.5 x 9.5 cm Channel Width 80 mm A/D Conversion 16-Bit A/D Sensitivity 50,100,200,500 uv/cm and 1,2,5,10,20,50,100 mv/cm Sweep Speed 0.5,0.1,0.2,1,2,5,10,20,50,100 div/sec Data Sampling Frequency > 256 Hz Input Impedance > 1 Mega Ohm CMRR> 80-85 db Standard Accessories Standard Accessories ECG electrodes 1 set of 4 nos EEG electrode 10 nos Bio Potential Junction Box 1 no EMG disc electrodes 1 set of 10 nos Ground electrode 1 no EEG Paste 1 jar ECG Jelly 1 bottle Operating Manual 1 no.	01			
Total Amount (Excluding GST) in Rs.					

Annexure – 1**PARTICULARS OF THE BIDDER**

Sr. No	Description	Details (to be filled by the responder to the Bid)
1	Name of the company	
2	Official address	
3	Phone No. And Fax No.	
4	Corporate Headquarters Address	
5	Phone No. And Fax No.	
6	Web Site Address	
7	Details of Company's Registration (Please enclose copy of the company registration document)	
8	Name of Registration Authority	
9	Registration Number and Year of Registration	
10	ISO certifications and its validity	
11	GST registration No.	
12	Permanent Account Number (PAN)	
13	Company's Revenue for last 3 years (Year wise)	
14	Company's net worth for the last year	
15	Bank Details (Name, Account no., Branch, IFSC, MICR)	

Annexure – 2

The Bidder has to quote the rate in the Item Data available online with this bid. Details to be filled up for price bid are as below:

The price shall be inclusive of all taxes (inclusive of GST) under the relevant Laws of India.

SL. No	Particular	Amount In Rs. (Inclusive of All the taxes)
1	Total Cost for the Procurement of Equipment's for the department of Pharmacology at BGS MCH Hospital, Nagarur, Nelamangala.	
Total in Rs and in words –		



**THE HEAD
CLPC, ACU
Mahalakshmipuram,
Bengaluru - 560 086.**